


# ADHESIV TAPE



---

## Product

## Catalogue

Industry Tape

# Industry Tape

## Blue Masking Tape

Residue Free, UV Resistance, Heat Resistance, Waterproof, Tear by hand

BM243



- Painting Protection Indoor/Outdoor
- High Temperature Car Painting Protection
- minimum influence by temperature fluctuation
- Adhesive Strength : 0.36kg or 0.8kg / 24mm
- Duration : 80°C (60 mins.)

Item No.	Product Name	Material	Adhesive	Width	Length	Core Size
				mm	m	
BM243	Blue Masking Tape	70g Germany Crepe Paper	20μ Solvent Glue	24	50	3" Paper Core
BM353	Blue Masking Tape	70g Germany Crepe Paper	20μ Solvent Glue	35	50	3" Paper Core
BM483	Blue Masking Tape	70g Germany Crepe Paper	20μ Solvent Glue	48	50	3" Paper Core

※Customized Adhesive Strength & Size Available.

## Washi Masking Tape

Best Material for Painting Protection !

- Pliable Washi Paper fits to all curves
- Suitable for spray paint
- Great Adhesive Strength

WP-G305CG



Item No.	Product Name	Material	Adhesive	Width	Length	Core Size
				mm	m	
WP-G305CG	Washi Masking Tape	47g Washi Paper	20μ Solvent Glue	12	18	32mm Paper Core
				15		
				18		
WP-G305CG/R	Washi Masking Tape ( with release liner )	47g Washi Paper	20μ Solvent Glue	12	18	32mm Paper Core
				15		
				18		

※Customized Adhesive Strength & Size Available.

# Industrial Adhesive Tape

## Reinforced Foil Fiber Tape

RAF483



Outstanding Adhesive Level ! !

- Water Pipe / Warm Pipe Repair
- Chimney Repair
- Air-conditioner Pipe Repair

Item No.	Product Name	Material	Adhesive	Width	Length	Core Size
				mm	m	
RAF483	Reinforced Foil Fiber Tape	170 $\mu$ Reinforced Film ( Foil + PE Fiber )	30 $\mu$ Acrylic Glue	48	20	3" Paper Core

※Customized Adhesive Strength & Size Available.

## Polarizer Peeling Tape

To peel off protective film of polarizer in TFT-LCD Industry !

700B

- Great Initial Tack
- Residue Free
- Customized Peeling Force
- White & Transparent



Item No.	Product Name	Material	Adhesive	Width	Length	Core Size
				mm	m	
700B	Polarizer Peeling Tape	23 $\mu$ PET Film	20 $\mu$ Acrylic Glue	24	500	3" PE Core
750	Polarizer Peeling Tape	23 $\mu$ PET Film	24 $\mu$ Acrylic Glue	24	500	3" PE Core

※Customized Adhesive Strength & Size Available.

# Industry Tape

## High Bonding Double Side Tape

One side permanent glue, one side residue free adhesive !

HDBR

- Best for "Compact Flash" Industry
- Residue Free
- CMP Pad Fix



Item No.	Product Name	Material / Adhesive / Liner		Core Size
HDBR	PET High Bonding Double Side Tape	Liner	36 $\mu$ PET Release Liner	3" PE Core
		Adhesive	30 $\mu$ Acrylic Glue	
		Material	50 $\mu$ PET Film	
		Adhesive	40 $\mu$ Reside Free Glue	
		Liner	80g Release Paper	
TDSR	High Bonding Tissue Double Side Tape	Adhesive	30 $\mu$ Reside Free Glue	3" PE Core
		Material	14g Cotton Paper	
		Adhesive	40 $\mu$ High Bonding Glue	
		Liner	80g Release Paper	

※Customized Adhesive Strength & Size Available.

## High Temperature Protective Film

HTRR

Heat Resistance up to 180°C for 30 mins.

Suitable for high temperature production process

- Residue Free



Item No.	Product Name	Material	Liner	Adhesive	Width	Length	Paper Core
					mm	m	3" Paper Core
HTRR	Protective Film	50 $\mu$ PTE Film	23 $\mu$ Release Liner	10 $\mu$ Acrylic Glue	500	50	3" Paper Core

※Customized Adhesive Strength & Size Available.